Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5225	(pci "peripheral component interconnect") adj bridg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:21
52	7109	(pci "peripheral component interconnect") near2 bridg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:33
S 3	28	(determin\$3 near3 size) same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:34
S4	1	prefetch\$3 same S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 10:05
S 5	0	PCT/US05/02342	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 10:05
S6	0	PCTUS0502342	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 10:05
S 7	66	cisco.as. and pci and bridg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 11:49
S8 -	2	prefetch\$3 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 11:52
S 9	13	("6665750" "5822568" "6286074" "20030221039" "6601144" "6662251").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:47
S10	202	710/311.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 10:48

S11	149905	determin\$5 near3 size	US-PGPUB;	OR	OFF	2005/12/29 13:08
J11	113303		USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S12	6	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:52
S 13	2171	descriptor and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:24
S14	0	S13 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:23
S 15	90	descriptor with S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:24
S16	186383	"710"/("112,300,307,313,315").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 11:33
S17	25	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:56
S18	1035	("pci-pci" "pci to pci" "pci-to-pci" p2p) near2 bridg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:34
S19	4	(determin\$3 near3 size) same S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:34
S20	0	"10742185".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:53

S21	0	"10153041".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 15:42
S22	2	"6973528".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 15:42
S23	149985	determin\$5 near3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:56
S24	90	descriptor with S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:56
S25		S24 and bridg\$3 and pci	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 09:56
S26	202	710/311.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:53
S27	149985	determin\$5 near3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:53
S28	6	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:53
S29	0	hash and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:53
S30	8235	S27 same table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB -	OR	OFF	2006/01/03 14:53

S31	2	S26 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 14:53
S32	5137	"hash table"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 15:58
S33	18	(data near2 size) with S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/03 15:59
S34	1	address with \$33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 15:58
\$35	34	size with address with S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 15:59
S 36	25175790	@ad<"20040301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 11:33
S 37	31	S35 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 17:41
S38	10	hash with ((address\$2 and size) near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 17:42
S 39	5137	(hash adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:22
S40	34	539 near7 (address\$2 near5 (length size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OŅ	2006/01/04 11:32

		·	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			-
S49 S50	4	(US-20030051076-\$ or US-20040073724-\$).did. or (US-5649161-\$ or US-5737765-\$ or US-5913045-\$ or US-6075929-\$ or US-6286074-\$ or US-6463483-\$ or US-6662251-\$ or US-6665753-\$ or US-6820161-\$ or US-6973528-\$ or US-6766511-\$).did.	US-PGPUB; USPAT US-PGPUB;	OR OR	OFF	2006/01/04 13:26
S48	7	(pci near3 bridge) and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:25
S47	186527	"710"/("112,300,307,313,315").ccls. and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 11:33
S 46	0	710/300.ccls. and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 11:33
S45	708	@ad<"20040301" and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 11:34
S44	784	storage with S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:33
S43	19205	decoder adj circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 11:32
S42	1	("6665750" "5822568" "6286074" "20030221039" "6601144" "6662251").pn. and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:47
S41		("6665750" "5822568" "6286074" "20030221039" "6601144" "6662251").pn. and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:47

S51	710	determin\$3 near3 (memory storage) near4 full	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:27
\$52	735	determin\$5 near3 (memory storage) near4 full	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:28
S53	3	(discard\$3 near old\$3) same S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:30
S54	27	(discard\$3 remov\$3 delet\$3) with S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:30
S55	153	descriptor near3 (location address) near3 size	US-PGPUB; USPAT; EPO; JPO	. OR	ON	2006/05/04 08:57
S56	41	memory with \$55	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/04 08:57
S 57	12	bridge and S56	US-PGPUB; USPAT; EPO; JPO	OR	ΟN	2006/08/21 10:44
S 58	0	bridge same S56	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/04 08:57
S59	2	bridge with memory with size with location with read	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 11:01
S60	10	710/311.ccls. and descriptor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/21 10:50
S61	0	710/311.ccls. and descripter	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/21 10:50
S62	4	bridge same memory same (size near5 location) same read	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 11:31
S63	1051	((read\$3 adj ahead) prefetch\$3) near5 (determinate known size predetermined)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/21 11:33
S64	38	710/305-315.ccls. and S63	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/22 15:30
S65	0	(transmit\$4 send\$3) near5 descriptor near5 initiator	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/08/22 10:48
S66	1	(transmit\$4 send\$3) near5 (location address) near5 size near5 initiator	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/22 10:48

S67	2	("6,963,954" or "5,606,665").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/22 15:33
S68	0	"09957342".ap.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/22 15:33
569	0	"09/957342".ap.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/08/22 15:33

8/23/2006 9:38:57 AM C:\Documents and Settings\fzaman\My Documents\EAST\Workspaces\10791312.wsp Page 7